# Polyethylene glycol

#### **GENERAL PROPERTY**

Composition	Av. Molecular weight	Appearance	OHV	Melting point (¡É)
PEG 200	190 ~ 210	Oily liquid	534 ~ 590	
PEG 300	285 ~ 315	Oily liquid	356 ~ 392	
PEG 400	380 ~ 420	Oily liquid	268 ~ 294	
PEG 600	570 ~ 630	Oily liquid	178 ~ 196	17 ~ 22
PEG 1000	950 ~ 1050	Solid	108 ~ 117	35 ~ 40
PEG 4000	3800 ~ 4400	Solid	22.5 ~ 29.5	53 ~ 58
PEG 6000	5600 ~ 6400	Solid	17.5 ~ 20	55 ~ 60
PEG 8000	7500 ~ 8500	Solid	13 ~ 15	58 ~ 65

#### CHARACTERISTIC

## Highly compatible to various kinds of organic compounds.

PEG is compatible with most organic solvents, and has excellent water-solubility.

#### High boiling point.

Effective as a non-volatile solvent because of its high boiling point.

### Easy control of the degree of condensation.

As the degree of condensation is properly governed, PEG has a broad spectrum of products ranging from rigid solids to oily liquids.

#### Controllable hygroscopic property.

Every PEG type surfactant has excellent hygroscopic property, and this is controllable by adjusting the degree of condensation.

As the degree of condensation increases, the hygroscopic property is degreased.

#### Less toxicity

PEG is characterized by less toxicity and less skin irritation. There is no damage in case of contact with skin or lips.

### APPLICATION

## Rubber industries

As PEG has good water-solubility even in its solid state, it is used as a releasing agent for foam rubber, latex rubber, etc.

PEG is also used as an airpack releasing agent, inner releasing agent, and lubricant in the

# Disodium cocoamphodiacetate.

This is an example of a proteric, which are mild non-ionic surfactants often used in place of the alkanolamides. It is often used in baby products as well as other frequent use cleansing products where low irritation is important. When used in combination with other surfactants they build viscosity, boost and stabilize foam, and have skin and hair conditioning properties.

Disodium cocoamphodiacetate is made by Protameen under the trade name Proteric CDX-38.

# Dimethicone.

Other names used to describe dimethicone are silicone rubber, latex, dimethylpoly-siloxane, simethicone, dimethyl silicone, and dermafilm.

Dimethicone takes the form of a clear, viscous liquid. It is effective at very low concentrations and is inert, so it doesn't interfere with any actual processes that are occurring. It is also non-toxic to human life.

Dimethicone is used in antiflatulent preparations, as antifoam in pharmaceutical processing, and as a defoaming agent in food processing

Its molecular weight is 74.14.

CAS: 9016-00-6

Molecular formula: C<sub>2</sub>H<sub>6</sub>OSi

# Cetyl alcohol.

Hispagel® 200 Page 1 of 1





**SEARCH:** 

**Biochemical** Reagents & Diagnostic

Cosmetic

Ingredients

heimereeilleel).

Log In

Proficiencies |

Featured Applications

Newsletter

**Events** 

Industry Links





Moisturization/Humectancy >>

Hispagel® 200 is a hydrated polymeric clathrate containing vegetally-derived glycerin that is readily soluble in water, forming permeable films on the skin with excellent moisture retention and lubricating properties. Excellent thickening and stabilizing properties for use in


PDF !

all types of personal care products. INCI Name: Glycerin, Glyceryl Polyacrylate.

Request Info

Copyright 2006 Centerchem Inc. All Rights Reserved.

Web Produced by JCM Internet



#### **Myristyl Myristate**

Specifications
Parchem Trading Ltd.

## **Myristyl Myristate**

Product: Myristyl Myristate

CAS: 3234-85-3

Synonym: Tetradecanoic Acid, Tetradecyl Ester Formula: CH3(CH2)12COO(CH2)13CH3

Class: Plasticizers - Esters - Surfactants

**SPECIFICATIONS** 

Appearance Waxy solid

Color White to Pale Yellow Odor Mild Characteristic

Acid Value, mg KOH/g 3.0 max

Saponification Value mg KOH/gram 120 - 132

lodine Value Nil

Melting Point 36 - 40°C

#### Notes

Solubility: Soluble in high hydrophobic solvents such as esters, mineral oi, mineral spirits, and aromatic hydrocarbons. Dispersible ethers and glycerol.



Copyright © 2007 Parchem Trading Ltd. All rights Resrved 2 William St. Suite 303 White Plains, NY 10601

# Material Safety Data Sheet EVENING PRIMROSE CP - Product No: 196

oenothers biennis FIXED OIL

Libe	rty Natural Home <u>Terms &amp; Definitions</u>				
Info	Identification				
FEMA No					
CAS No.	90028-66-3				
Chemical Name					
Health	Slightly hazardous.				
Flammability	Will ignite if overheated.				
Reactivity	Unstable if heated.				
Info	Fire, Explosion & Reactivity				
Flash Point	>175 C				
Extinguishing Media	FOG-No   CO2-Yes   FOAM-No   DRY-Yes				
Dot Classification	HAZARDOUS				
Stability	STABLE ·				
NFPA Classification	N/A				
Fire Fighting	STOP SPILL, START FIRE FIGHTING EFFORTS IMMEDIATELY. LIMIT SPREAD OF OIL. TREAT AS AN OIL (EDIBLE FAT) FIRE.				
Unusual Fire Hazard	IGNITON TEMPERATURE APPROXIMATELY 433 C/ 833 F IF PRODUCT BEGINS TO SMOKE, REDUCE HEAT				
Hazardous Combustable Decomposition Products	Combustion will produce carbon dioxide and probably carbon monoxide				
Info	Physical Data				
Color & Odor	Clear light honey in color and a characteristic odor.				
Boiling Point	N/A				
Melting Point	LIQUID ABOVE 0 C				
Vapor Pressure	<0.05 MM @ 300 C				
Vapor Density	N/A				
Water Solubility	INSOLUBLE				
Info	Protection Data				

Respiratory	None should be needed		
Ventilation	General recommended at least 10 air changes per hour for good roomûventilation		
Skin	Safety gloves should be worn		
Eye	Safety glasses should be worn in any type if industrial operation		
Other	None		
Info	Occupational Exposure Limit		
Threshold Limit	NOT ESTABLISHED		
OSHA Permissible Limit	NOT ESTABLISHED		
Carcinogen	NOT A CARCINOGEN OR POTENTIAL CARCINOGEN		
NTP Limit	NO		
IARC Limit	NO		
OSHA Limit	NO		
Carcinogen Notes	None .		
Info	Health Hazards		
Material Type	NATURAL VEGETABLE OIL		
Health Hazard	LIQUID MAY IRRITATE EYES-LIQUID MAY IRRITATE SKIN		
Primary Entry Routes	INHALATION-SKIN		
Health Hazard Notes	NO specific health or safety hazard known		
Info	Emergency First Aid		
Inhalation	NONE KNOWN		
Eye Contact	ANY MATERIAL GOTTEN INTO EYES MAY CAUSE IRRITATION, FLUSH- WITH WATER		
Skin Contact	RUN WATER OVER AREA NEEDED		
Ingestion	DRINK MILK AND/OR WATER		
First Aid Notes	Always wear protective clothing for your face and body		
Info	Spill, Leakage & Disposal Procedures		
Spill Procedures	COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL		
Waste Disposal	OBSERVE ALL FEDERAL, STATE AND LOCAL LAWS CONCERNING HEALTH AND ENVIRONMENT		
Info	Handling & Shipping Procedures		
	EVENING PRIMROSE OIL SHOULD NOT BE STORED IN PLASTIC. IT WILL		

Handling & Shipping Procedures	CAUSE THE CORROSION OF THE PLASTIC CONTAINER (LITERALLY MELTING THE INSIDE OF THE PLASTIC). ONCE RECEIVED THE OIL SHOULD BE PUT INTO THE 4 LITER GLASS AMBER JUGS AND LABELED WITH THE NAME AND BATCH NUMBER (THIS IS CLEARLY PRINTED ON THE STORAGE CONTAINER.
Info	SARA 313 Chemical Breakdown
SARA Chemical Name	NONE
SARA Concentration	NONE

This page last updated on 07 NOV 2007 - Copyright 2007 Liberty Natural Products, Inc. - www.libertynatural.com

Home Page

DOW CORNING Viscosity (Centistokes): 350 Specific Gravity @ 25C: 0.970 Flash Point, F/C (Closed Cup): 6001315 Melting Point, F/C: (-401-40 Boiling Point, F/C: >400/200 Refractive Index @ 25C: 1.403 Appearance: Clear

DOW CORNING 200:

Viscosity (Centistokes): 500 Specific Gravity @ 25C: 0.971 Flash Point F/C (Closed Cup): 600/315 Melting Point, F/C: <-40/-40 Boiling Point, F/C: >400/200 Refractive Index @ 25C: 1.403 Appearance: Clear

Page 17

Dow corning 190: dimethicone copolyol.

Do w Corning

DOW CORNING CORP.: Silicones(Continued):

Dimethicone (COntinued):

DOW CORNING 200:

Viscosity (Centistokes): 1000 @ 25C: 0.971 Specific Gravity Flash Point, F/C (Closed Cup): 610/321 Melting Point, F/C: <-40/-40 Boiling Point, F/C: >400/200 Refractive Index @ 25C: 1.403 Appearance: Clear

DOW CORNING 200:

Viscosity (Centistokes): 12500 Specific Gravity @ 25C: 0.975 Flash Point, F/C: <-40/-40 Boiling Point, F/C: >400/200 Refractive Index @ 25C: 1.403 Appearance: Clear

Dimethicone Copolyol DOW CORNING 190: Viscosity (Centistokes): 1500

No MP- liquid

```
Specific Gravity
                          @ 25C: 1.035
    Flash Point, F/C (Closed Cup): 130/54
    Melting Point, F/C: NA
   Boiling Point, F/C: >400/200
                      @ 25C: 1.448
   Refractive Index
   Appearance: Hazy
DOW CORNING 193:
   Viscosity (Centistokes): 465
    Specific Gravity
                       @ 25C: 1.070
   Flash Point, F/C (Closed Cup): 198/92
   Melting Point, F/C: NA
   Boiling Point, F/C: >400/200
   Refractive Index
                     @ 25C: 1.454
   Appearance: Hazy
DOW CORNING 42-5220:
   Viscosity (Centistokes):
    Specific Gravity @; 25C: 1.030
    Flash Point, F/C (Closed Cup): 140/60
   Melting Point, F/C: NA
   Boiling Point, F/C: >400/200
    Refractive Index
                     @ 25C: 1.457
   Appearance: Hazy
```

, :**~** 

Page 18

```
DOW CORNING CORP.: Silicones
                                       Continued):
Cyclomethicone (and) Dimethi
                                       one Copolyol
DOW CORNING 32232:
    Viscosity (Centistokes): 500
    Specific Gravity @ 25C: 0.963
    Flash Point, F/C (Closed Cup): 140160
   Melting Point, F/C: 50110
    Boiling Point, F/C: 351
                                   1178
                      @ 25C: 1.398
    Refractive Index
    Appearance: Hazy
Phenyl Trimethicone:
DOW CORNING 556:
    Viscosity (Centistokes): 22.5
                     @ 25C: 0.980
    Specific Gravity
    Flash Point, F/C (Closed Cup): 2501121
    Melting Point, F/C: (-401-40
    Boiling Point, F/C: >400/200
                          @ 25C · 1 460
    Refractive Index
```